

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Notes i Surale touse, Ken left 12 1869 Cercus Twadi 8' Light - 2-2/2 inches Siam 1841 Corens rostratus Himling high - fill of acrill rosts, flowerbuds rosts for the sides (organing Cerus grandis Han, Physil; 10-12 feel Ligh, below gray, almost tente, spillen 4-5 inches Sameter above mor aagula, 6 villet, groves skellow, aveolue elen set, I iach apait er lest, longer statisfier 1-2 inher long with 4 or 5 smill but that on, radition on lower part of anola - spices at lest d'suppariz Cerus Tostussus - I sue no acriel voots. anguli erenati Cercus livides ful anolae 'mmerque - Jamesan nobis (fin) attemption - glacery Sala · angle " mate Cercus vanibeles avolu innuma approach; the for of Millementi. angul recti costinui & de l'integri de l'arrabae (plan?)

angul sinuati Cerem permia - gementer Cercus acutacycles andre protousi alanjortan angalicableti, is 4 miller dyree MISSOURI

copyright reserved

cm


BOTANICAL


GARDEN

MISSOURI BOTANE PAREN GEORGE ENGELMAND PARERS MISSOURI BOTANICAL copyright reserved cm GARDEN


Notes i Surrelet house, Ken Soph 12 1869 Cerus alaeri portaner, dark-glævory blackspired, 10-12 feel high eval, with few eval brancher, sten even, not jouled, augles sohnate, with promie La avolce openter Selman, Bryil, 5 feet ligh












But: 2=: 6 1869 Tegel in Humboldt, Villa Cereur spersosissione gleingend violetten deing Fruit zet green, un sje leat apparently full grown. Oval, with a smill umbili red, evilt abul 20 Greolae, bearing bewely those of the plant - freit not augulance all Travelle very stightly fulen atto.

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN




Host Thurch Antiber For 25 Cereus · Pani manh 12 1869) remnant of style fruit gellowisk, globoxe sometil talemetet. 25-30 tuberales er pulvilli bearing small Triangulan I soules (sepels) and in their axils long florroze wool smen 2-3 mm long, fruit nearly 4 vention. (in 1/2 inches) in d'acceler Rind their, yellow, pulp cohite including numerous elongated sombralate Tech. MISSOURI


copyright reserved

cm

BOTANICAL GARDEN



MISSOURI BOTANICAL GARDEN







for Cels notes. fl. end of June, Conjino The for about one week on 10 days, revent flowing 1.25 cm long 20 vide tube smooth, with few (about 10) smile Scales, green, westowned tip gradelly inversing i number ktize abet 12 petel, pule rose - colon, long lancolite 2 cm log 2 will frigue on edge, sharply porched Timesonate? Stamme wiserts about 10 rent in from Case of late, 8 non Cong style sounds longer the Ham 15-16 cm Cong, 4 ma d'anute. greenish white, 18 millerich stigmet, 20 a long. 2 or 3 days after the flicter A still looks Cikele to open agin, in all of the tule of the flower become geller al separater (concuercies) above base of style. MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS






Dec 31 1868 Cerem remorianne ex Host bot Neapol, 7-9 1868 Howen, 6 insher long 4 vide ovang over with 3 (-5-?) extremly smill scales , 1/3 or 1/2 mm long, very accenting triangular. Full about 3" long over half with about 5 similar only little layer scales, apper part with all 13 bond rounded a la freler Samer sepel 18-22. Jetak, 20 deti ulate, herbreverly anistalete 1/2 inch of lower tile fee of slaving, stamiante part about 2 shows long no corone stigments stigments paterlons - erect, f. Ciforn, 6 l. Cong. 1847 Traces of fact scales disappear on fail. The was observed in Host bot happel on an immune steen the sine some seen sperious, 20 metres high, in 1846 not since seen Desor. i. Cal Hort. Ast. 1867; pag 25 note 3 fuit smooth, not belowelet, nor market yellow. describy 3-angles, 2 inster, d'ameter, broader then high orlagone windstorm is center with remoderate of style. Black, curved seeds Cer. Tenu i Hort Kew Sept 12by; oreobre smile

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN

10. Page 11. 10. 10.









Och 29 1868. Soma 1849 The Sperime of Corner l'esserians which I notited 10h gun ago nem the better of Commelle, was Examined today again. The minitude had fellen and was partially out of showing a central (originally) pithy) ravity 200 2/2 indicionally the of suffered of suffered of all this was rown by a jurity sind 1/2 1/2 inches thick, gry and irregular outside led und regulants grooved. The old truck was sprouting out all on - Willa Borghese I other plans - never any fruit seen!

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL CM COpyright reserved GARDEN

